




104-10301

needed, the extension is requested. Please charge the fee for this extension to **Deposit Account No. 09-0447.**

Respectfully submitted,

  
\_\_\_\_\_  
Duke W. Yee  
Registration No. 34,285  
**Carstens, Yee & Cahoon, LLP**  
P.O. Box 802334  
Dallas, Texas 75380  
(972) 367-2001  
ATTORNEY FOR APPLICANT

201009-28124001



COPY OF PAPERS  
ORIGINALLY FILED

# UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/042,482	01/09/2002	Raji Lakshmi Akella	AUS920010666US1

**CONFIRMATION NO. 6094**

## FORMALITIES LETTER



\*OC000000007423463\*

Duck W. Yee  
Carstens, Yee & Cahoon, LLP  
P.O. Box 802334  
Dallas, TX 75380

Date Mailed: 02/05/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

### *Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

20100205 23463